

MACHINERY AND LABOUR FORCE REQUIREMENTS FOR FOREST CHIP PRODUCTION IN FINLAND IN 2020

Kalle Kärhä ¹, Markus Strandström ¹, Perttu Lahtinen ² & Juha Elo ²

¹ Metsäteho Oy, P.O. Box 101, FI-00171 Helsinki, Finland

kalle.karha@metsateho.fi, markus.strandstrom@metsateho.fi

² Pöyry Energy Oy, P.O. Box 93, FI-02151 Espoo, Finland

perttu.lahtinen@poyry.com, juha.elo@poyry.com

ABSTRACT: The research carried out by Metsäteho Oy and Pöyry Energy Oy estimated how much machinery and labour would be needed for large-scale forest chip production if the use of forest chips increases extensively in Finland during the coming decade. If the production and consumption of forest chips are 25 to 30 TWh in Finland in 2020, then 1,900 to 2,200 machinery units, i.e. machines and trucks, would be needed. This would mean total investments in production machinery of 530 to 630 million € (VAT 0%). The labour demand would be 3,400 to 4,000 machine operators and drivers, and 4,200 to 5,100 labour years including indirect labour. Respectively, if the production and consumption of forest chips is 15 to 20 TWh in Finland in 2020, then the production machinery requirement would be 1,100 to 1,500 machines and trucks. The total machinery investment cost would be 320 to 420 million € (VAT 0%) and the calculated labour demand 2,000 to 2,700 machine operators and drivers (2,500 to 3,400 labour years). The results of the study indicated that forest chip production resources will be a major bottleneck in reaching the consumption target of 12 million m³, i.e. around 24 TWh of forest chips in Finland by 2020.

Keywords: Energy wood, Machinery, Resources.

1 INTRODUCTION

The total primary energy consumption in Finland in 2008 was 389 TWh (1,400 PJ) [1]. In 2008, wood-based fuels accounted for more than one fifth (82 TWh) of the total energy consumption in Finland, and hence were the second most important source of energy after oil [1]. This makes Finland one of the leading countries in the World as regards the utilization of wood for energy generation. In Finland, wood-based fuels are divided into industrial waste liquors – mainly black liquor produced by the pulping industries – and solid wood fuels. Solid wood fuels are further divided into 1) wood fuels consumed in heating and power plants, and 2) fuelwood consumed by small-sized dwellings, i.e. private houses, farms, and recreational dwellings [1, 2].

In 2008, one half of wood-based fuel consumption (41 TWh) was covered by waste liquors [1]. A total of 41 TWh, or 20.5 million m³ of solid wood fuels were consumed, of which the heating and power plants accounted for 27 TWh, 14 million m³ [2]. Small-sized dwellings currently use a total of 14 TWh, or 7 million m³ of wood, for heating [2].

The total consumption of forest chips for energy generation in Finland in 2008 was equivalent to 9.2 TWh (4.6 mill. m³) [2] (Fig. 1). Of the forest chips used in heating and power plants (8.1 TWh) in 2008, the majority (58%) was produced from logging residues in final cuttings [2]. 14% came from stump and root wood, and 4% from large-sized (rotten) roundwood. 24% of the total amount of commercial forest chips used for energy generation came from the small-diameter ($d_{1.3} < 10$ cm) thinning wood produced during the tending of young stands [2].




Figure 1. Use of forest chips in 2000–2008 in Finland [2], and the targets set for the usage of forest chips in Finland in the years 2010, 2015 and 2020 [3–6].

According to the EU’s Climate and Energy Policy, the renewable energy target is to increase the consumption of renewable energy sources to 20% of total final energy consumption by the year 2020. In Finland, this target means increasing the proportion of renewable energy sources to 38% [6]. Wood-based fuels are the most important renewable energy source in Finland, and forest chips are considered to be one of the most important wood fuel sources in the future [6]. In the context of the Long-term Climate and Energy Strategy in Finland [6], it is estimated that the primary use of wood-based fuels will be 97 TWh (Objective Vision) by the year 2020. The overall target set for forest chips is 12 million m³, i.e. around 24 TWh by 2020 [6] (Fig. 1).

The research carried out by Metsäteho Oy and Pöyry Energy Oy estimated how much machinery and labour would be needed for large-scale forest chip production if the use of forest chips increases extensively in Finland during the coming decade. The cost of acquiring the required machinery was also calculated. This conference paper presents the main results of the resource calculations.

The research was conducted within the project “The Potential and Costs to Increase the Use of Wood-Based Fuels in Finland by 2020”, which was funded partly by the Ministry of Employment and the Economy in Finland.

2 MATERIAL AND METHODS

The study included an Excel calculation model for defining the amount of machinery and labour resources required in the production of forest chips. In the resource calculations, the production and consumption of forest chips was estimated at 8 TWh in 2009 and 15 to 30 TWh in 2020. It was assumed that 43% of the forest chips used in 2020 would be produced from logging residues, 29% from stump and root wood, and 28% from small-sized thinning wood harvested in young stands. The main supply chain of chips from logging residues and small-diameter thinning wood was roadside chipping, and for stumps crushing at the plant [cf. 7].

In the resource calculations, one man-year for forest machines and comminution machines was equal to 1,712 hours and for transportation machinery 1,700 hours. These figures were obtained from the Trade Association of Finnish Forestry and Earth Moving Contractors, and Finnish Transport and Logistics SKAL. The indirect labour requirement was determined by multiplying the direct labour demand by 0.4 [cf. 8].

It was assumed in the calculations that the forest chip production machinery was used exclusively in forest chip production. Fifteen percent of the harvesting volumes of small-sized thinning wood (whole trees) were assumed to be harvested with energy wood harwarders, and the rest with two-

machine (i.e. harvester and forwarder) harvesting systems [cf. 9]. All the transportation of chips from the terminal to the energy plant was assumed to be carried out by means of chip trucks. All chipping at the plant was assumed to be carried out with fixed stationary crushers.

In the calculations, the results of the latest productivity studies and empirical productivity data were used as the productivity and performance basis for machine and truck units [e.g. 10–22]. The price levels of early 2009 were used for the acquisition costs of machines and trucks. The acquisition costs were determined by interviewing machine and truck manufacturers and vendors (Table 1).

Table 1. The acquisition costs of machines and vehicles used in the calculations.

Machine/vehicle unit	Acquisition cost (€ (VAT 0%))
Harvester	280,000
Energy wood harwarder	250,000
Slash bundler	400,000
Stump-lifting machine	150,000
Forwarder	210,000
Mobile chipper/crusher	570,000
Chip truck	270,000
Energy wood truck	320,000
Fixed stationary crusher	1,500,000

3 RESULTS

3.1 Production and consumption of 25–30 TWh of forest chips

If the production and consumption of forest chips in Finland is 25 to 30 TWh in 2020, then:

- 1,900 to 2,200 units of machinery, i.e. machines and trucks, would be needed (Fig. 2). This is 3.3- to 4-fold higher than the current amount of calculated forest chip production machinery. Numerically speaking, the largest number of machines needed in the forest chip supply chain would be forwarders, energy wood and chip trucks, and stump-lifting machines (Fig. 3).
- This would mean total investments in production machinery of 530 to 630 million € (VAT 0%) (Fig. 4). Most of the capital would be invested in forest haulage and long-distance transportation machinery, as well as in the acquisition of mobile chipping equipment. The acquisition costs of this machinery would be 69% of the total investments.
- The labour demand would be 3,400 to 4,000 machine operators and drivers (Fig. 5). This is 3.4- to 4.1-fold the amount of current calculated number of operators in the production of forest chips. The greatest number of operators and drivers would be required for forwarders, energy wood and chip trucks, stump-lifting machines, and harvesters for small-diameter wood cutting (Fig. 6).
- The labour demand would be 4,200 to 5,100 labour years, including indirect labour (Fig. 7).




Figure 2. Estimated total amount of forest chip production machinery required in 2020, if the production and usage of forest chips is 15 to 30 TWh. The production and use of forest chips is assumed to be 8 TWh in 2009. It is also assumed that the machinery is only used for the production of forest chips.




Figure 3. Estimated forest chip production machinery by machinery type required in 2020, if the production and usage of forest chips is 15 to 30 TWh.




Figure 4. Estimated total investment requirement for forest chip production machinery in 2020, if the production and usage of forest chips is 15 to 30 TWh.




Figure 5. Estimated machine and truck driver requirement for forest chip production in 2020, if the production and usage of forest chips is 15 to 30 TWh.




Figure 6. Estimated machine and truck driver requirement for forest chip production by machinery type in 2020, if the production and usage of forest chips is 15 to 30 TWh.




Figure 7. Estimated total forest chip production labour requirement in man-years in 2020, if the production and usage of forest chips is 15 to 30 TWh. The indirect labour requirement was determined by multiplying the direct labour demand by 0.4 [cf. 8].

3.2 Production and consumption of 15–20 TWh of forest chips

On the other hand, if the production and consumption of forest chips in Finland is 15 to 20 TWh in 2020, then:

- The production machinery requirement would be 1,100 to 1,500 machines and trucks (Figs. 2 and 3).
- The total machinery investment cost would be 320 to 420 million €(VAT 0%) (Fig. 4).
- The calculated labour demand would be 2,000 to 2,700 machine operators and drivers (Figs. 5 and 6). This is 2.0- to 2.7-fold the current calculated number of operators/operators.
- The calculated labour demand would be 2,500 to 3,400 labour years, including indirect labour (Fig. 7).

In the calculation, the average labour demand in forest chip production was 0.17 labour years (l.y.) per thousand megawatt hours (MWh) produced, i.e. 5,900 MWh/l.y. in 2020. The labour demand in the production of logging residue chips was smaller than the average (8,100 MWh/l.y.). The labour demand in the production of stump wood chips and chips from small-sized wood was significantly higher than that in the production of logging residue chips (4,870 MWh/l.y. with stump wood chips, and 4,910 MWh/l.y. with chips from small-sized thinning wood).

4 DISCUSSION AND CONCLUSIONS

It was calculated in the study that, if the production and usage of forest chips in Finland would be 24 TWh in 2020 in accordance with the target set of Long-term Climate and Energy Strategy [6], then the demand for new production machinery would be nearly 1,800 units. Acquisition of the required production machinery would cost over half a billion euros (VAT 0%). One should bear in mind that almost none of these investments have been made so far. If the production and consumption of forest chips in 2020 is to reach the targeted level of 24 TWh, then the labour demand would be more than 3,200 machine and truck drivers.

As regards the specified production resource requirements, it should be borne in mind that the resource demand calculations were based on efficient, large-scale forest chip production. Production of forest chips at a smaller scale is more labour-intensive and, consequently, the labour demand is considerably higher than that presented in this study [cf. 8]. The need for resources presented here is the minimum amount required to reach the production volumes in large-scale forest chip procurement.

Furthermore, the following calculation hypothesis has to be taken into account: *the forest chip production machinery was only used for producing forest chips*; production capacity was thus directed only at the production of forest chips. This is not, however, true in practice, because the same machinery is used in procurement operations, such as industrial roundwood cutting and forest hauling, long-distance transportation of fuel peat, and the comminuting and long-distance transportation of industrial wood-based by-products [cf. 9].

Kärhä [9] conducted a study on the forest chip production machinery in use in 2007. In this study [9], it was estimated that there was a total of 1,100 machine and truck units in Finland involved in the production of forest chips used in energy plants in 2007. Thus the “real” number of machines and operators in forest chip production is higher, conservatively speaking about double the amount indicated in this research.

It was also assumed in the study that all forest chip raw material, as well as forest chips, are long-distance transported by truck. Rail and water transport will be made better use of in 2020 than at present, and this will reduce the specified demand for truck transport resources.

Further development of machine and equipment technology, new technical and mechanical innovations and rationalisation of working methods, will reduce the necessity to multiply production

resources. In contrast, however, less favourable harvesting conditions and lengthening transportation distances will increase the resource demands in the future.

The reported forest chip production resource demands are so high that it is highly unlikely that they will actually materialize. We can therefore predict that forest chip production resources will be a major bottleneck in reaching the usage target of 12 million m³ (around 24 TWh) of forest chips in Finland by 2020 [6]. The availability of skilled machine and truck drivers will also be an especially critical problem.

REFERENCES

- [1] Anon. 2009. Preliminary Energy Statistics. SVT, Statistics Finland, Energy 2009. (http://www.stat.fi/tup/julkaisut/isbn_978-952-244-019-8.pdf).
- [2] Ylitalo, E. 2009. Puun energiakäyttö 2008. (Use of wood for energy generation in 2008). Finnish Forest Research Institute, Forest Statistical Bulletin 15/2009.
- [3] Anon. 1999. Finland's National Forest Programme 2010. Ministry of Agriculture and Forestry, Publications 2/1999.
- [4] Anon. 2003. Uusiutuvan energian edistämishjelma 2003–2006. Työryhmän ehdotus. (A programme to promote renewable energy 2003–2006. Proposal of working group). Ministry of Trade and Industry, Working group and committee papers 5/2003. ([http://julkaisurekisteri.ktm.fi/ktm_jur/ktmjur.nsf/all/4B1BDE137F9B5121C2256CE5002B3AC1/\\$file/tyto5eos.pdf](http://julkaisurekisteri.ktm.fi/ktm_jur/ktmjur.nsf/all/4B1BDE137F9B5121C2256CE5002B3AC1/$file/tyto5eos.pdf)).
- [5] Anon. 2008. Finland's National Forest Programme 2015. Ministry of Agriculture and Forestry, Publications 3b/2008. (<http://www.fao.org/forestry/media/14177/0/0/>).
- [6] Anon. 2008. Long-term Climate and Energy Strategy. Government Report to Parliament 6 November 2008. Publications of the Ministry of Employment and the Economy, Energy and climate 36/2008. (http://www.tem.fi/files/21079/TEMjul_36_2008_energia_ja_ilmasto.pdf).
- [7] Kärhä, K. 2009. Metsähakkeen tuotantoketjut Suomessa vuonna 2008. (Industrial supply chains of forest chip production in Finland in 2008). Metsäteho Tulosalvosarja 14/2009. (http://www.metsateho.fi/uploads/Tiedote_15_2009_Tulosalvosarja_2009_14_Metsahakkeen_tuotantoketjut_kk_1.pdf).
- [8] Ahonen, A. 2004. The socio-economic effects of the use of forest chips from logging residues and small-sized trees in energy production, case-study. Research and Development Centre of Kajaani, Working Papers 47.
- [9] Kärhä, K. 2007. Production machinery for forest chips in Finland in 2007 and in the future. Metsäteho Review 28. (http://www.metsateho.fi/uploads/Katsaus_28.pdf).
- [10] Kärhä, K., Keskinen, S., Liikkanen, R. & Lindroos, J. 2006. Kokopuun korjuu nuorista metsistä. (Whole-tree harvesting from young stands). Metsäteho Report 193. (http://www.metsateho.fi/uploads/Raportti_193_KK_ym.pdf).
- [11] Kärhä, K. 2008. Integration of small-diameter wood harvesting in early thinnings using the two-pile cutting method. In: World Bioenergy 2008, Proceedings of Poster Session. World Bioenergy 2008 Conference & Exhibition on Biomass for Energy, 27th–29th May 2008, Jönköping, Sweden. p. 124–128.

- [12] Kärhä, K. & Mutikainen, A. 2008. Integrated cutting of first-thinning wood with a Moipu 400ES. TTS Research, Forestry Bulletin 726.
- [13] Kärhä, K., Vartiamäki, T., Liikkanen, R., Keskinen, S. & Lindroos, J. 2004. Hakkuutähteen paalauksen ja paalien metsäkuljetuksen tuottavuus ja kustannukset. (Productivity and costs of slash bundling and bundle forwarding). Metsäteho Report 179. (<http://www.metsateho.fi/uploads/4djb1xxw0otzss5.pdf>).
- [14] Laitila, J., Ala-Fossi, A., Vartiamäki, T., Ranta, T. & Asikainen, A. 2007. Kantojen noston ja metsäkuljetuksen tuottavuus. (Productivity of stump lifting and forest haulage). Working Papers of the Finnish Forest Research Institute 46. (<http://www.metla.fi/julkaisut/workingpapers/2007/mwp046.pdf>).
- [15] Kärhä, K., Mutikainen, A. & Kortelahti, I. 2009. Väkevä-kantopilkkuri Metsätehon ja TTS tutkimuksen pikatestissä. (The Väkevä Stump Processor in the test by Metsäteho and TTS Research). Metsäteho Tulosalvosarja 12/2009. (http://www.metsateho.fi/uploads/Tulosalvosarja_2009_12_Vakeva-kantopilkkuri_kk.pdf).
- [16] Rieppo, K. 2002. Hakkuutähteen metsäkuljetuksen ajanmenekki, tuottavuus ja kustannukset. (Time consumption, productivity and costs of forwarding logging residues). Metsäteho Report 136. (<http://www.metsateho.fi/uploads/f2b1et3t.pdf>).
- [17] Asikainen, A., Ranta, T., Laitila, J. & Hämäläinen, J. 2001. Hakkuutähdehakkeen kustannustekijät ja suurimittakaavaisen hankinnan logistiikka. (Cost factors and large-scale procurement of logging residue chips). University of Joensuu, Faculty of Forestry, Research Notes 131.
- [18] Korpilahti, A. & Suurniemi, S. 2001. Käyttöpaikallahaketukseen perustuva puupolttoaineen tuotanto. (Production of woody fuel chips based on comminution at power plant). Metsäteho Report 122. (<http://www.metsateho.fi/uploads/tff0fy8d5c7p.pdf>).
- [19] Halonen, P. & Vesisenaho, A. 2002. Hakeautoseuranta. (Follow up study of chip trucks). VTT Prosessit, Tutkimusselostus PRO/T6046/02.
- [20] Ranta, T., Halonen, P., Frilander, P., Asikainen, A., Lehikoinen, M. & Väätäinen, K. 2002. Metsähakkeen autokuljetuksen logistiikka. (Logistics of truck transportation of forest chips). VTT Prosessit, Tutkimusselostus PRO/T6042/02.
- [21] Ranta, T. & Rinne, S. 2006. The profitability of transporting uncomminuted raw materials in Finland. Biomass and Bioenergy 30(3): 231–237.
- [22] Korpilahti, A. 2004. Oksapaalien autokuljetus. (Truck transportation of slash bundles). Metsäteho Report 169. (<http://www.metsateho.fi/uploads/o42lhigkekx.pdf>).